



**PM-Mendes**  
Product Range Guide

## Door Contents

## Door Contents



Page 9

Page 10

Page 11



Page 12

Page 13

Page 14



Page 15

Page 17

Page 18

Page 19



Page 20

Page 21

Page 22

Page 23



Page 24

Page 25

Page 26/27

Page 29

Page 31



Page 32

Page 33

Page 35

Page 36

Page 38


Page 37



Page 39

Page 40

Page 41



Page 43

Page 45



Page 49

Page 50



Page 51

Page 52

Page 53

Page 54

Page 55



Page 57

Page 58



Page 59

Page 60



Page 62

Page 63



Page 65

# About PM Mendes

## Welcome

Expert knowledge, gained through trading in wooden panel products, timber components and doors for practically 50 years, is the foundation of our business. We maintain a strong ethical tradition, meaning that we will always attempt to do what is right and not what is expedient at the time. Our policy – applied for more than 20 years, is to deal with a carefully selected range of manufacturers with proper financial backgrounds and managements who are prepared to work to our quality standards. Personal relationships and trust ensure that the quality standards are maintained and that, if by chance any defect is found, the problem will be rectified without quibble and procedures examined to see if any improvement would eliminate or reduce the risk of a repeat. Our main storage site at Corsham, Wiltshire, is located conveniently close to the M4 motorway, enabling economic access to all areas of the country. We consider that a proper delivery service operates to customers' requirements and not to a fixed schedule of convenience principally to us. To achieve this service level we own a fleet of 7.5 tonne trucks and vans, but also make extensive use of selected carriers to deliver throughout the UK. With these facilities a delivery lead time rarely exceeds 48 hours and can frequently be managed in 24 hours if necessary.

## Product Guarantee

We offer a 10 year guarantee from the date of delivery on most timber doors. Some doors have been excluded from the guarantee; exclusions include some Premdor products and our L&B and FL&B doors. PM-Mendes (International) Limited undertakes to repair or replace, at the option of the Company, products which are shown to be defective in materials or manufacturing workmanship within the warranty period. This guarantee is intended for the original purchaser only and does not extend to subsequent purchasers during the length of this guarantee. No claim will be approved until a site inspection has been carried out by an experienced member of staff at the discretion of the Company. In the event of goods proving defective (manufacturer's defect only) which need replacement, our liability shall not exceed the price paid for the defective piece(s). This guarantee does not include associated charges such as labour for the removal, re-hanging or decoration of new or replacement piece(s) and/or any other works/service not originally supplied by PM-Mendes.



## Our Products Explained

We hold a range of stock that is known to be popular to the majority of consumers and, because service is paramount, our stock is considerable. If, however, we are not showing a door that you require, please do let us know as we can probably obtain it for you. Doors in this catalogue have been separated into Internal and External categories, and then grouped into popular ranges. Inevitably the names used will differ from those used by other suppliers, but we have tried wherever possible to use the most common name to describe a door by its characteristics.

Contents	Page
<b>Internal Doors</b>	
Oak Prefinished Range .....	8-15
Oak Unfinished Range .....	16-25
Grey Prefinished Range .....	26-27
Grey Laminate Range .....	28-29
Walnut Prefinished Range .....	30-33
White Primed Range .....	34-41
Black Industrial Range .....	42-43
Pine Unfinished Range .....	44-45
<b>External Doors</b>	
Oak Door & Sidelight Range .....	48-55
Hardwood Door Range .....	56-63
Redwood Range & Door Blank Range .....	64-65
<b>Internal Bespoke</b>	
Bespoke Door Service .....	66-67
<b>Frames &amp; Mouldings</b>	
Internal Door Linings and Mouldings .....	68-69
External Door Frames & Mouldings .....	70-71
<b>Door Accessories</b>	
Ironmongery .....	72-81
Spacesaver Door Systems .....	82-85
<b>Door Services</b>	
Internal Doorkits .....	86
Additional Door Servicing Options .....	87
<b>Windows</b>	
Performance Timber Windows & Doors .....	88-91
<b>Premdor</b>	
Premdor Internal Range .....	92-101
Fire Door Glazed Options .....	102-103
<b>General Information</b>	
Environmental Pledge .....	104-105
Care & Installation Guide .....	106-107
Glossary, Terms & Conditions of Sale .....	108-109

## Contents

# Internal Doors

## Internal Doors


Our internal doors are manufactured to an extremely high standard, by factories that are considered to be market leaders in providing value for money without compromising product quality. The doors are manufactured using the 'preferred' engineered construction, which ensures maximum stability. The stiles are edged with a solid timber lipping and over veneered.

We now stock a range of FSC® and PEFC certified products. Products which are FSC® certified are detailed throughout the catalogue, look out for the FSC® logo on pages which have FSC® certified products.

Unless stated otherwise, internal doors are supplied unfinished.

*N.B Please refer to care & installation guide and treatment of doors on pages 106 - 107 for additional information.*

## Oak Prefinished Range



## Oak Prefinished Range

Our oak prefabricated range of doors look great in modern and traditional styles. They are a firm favourite for both houses and commercial properties without the need for decorating on site. With designs ranging from feature or solid Oak 'V' grooves, ash or walnut inlays, traditional panel to a simple flush veneered door. Most of our Prefinished Oak doors are available as an FD30 fire rated door and glazed options to suit.

*N.B Please refer to care & installation guide and treatment of doors on pages 106 - 107 for additional information.*



## Oak Prefinished Range

### Deluxe Modern V Groove Doors

#### ISEO Quarter Cut Veneer

Core: 35 / 40mm Solid

##### Standard 35mm FD30 44mm

1981 x 457mm	1981 x 610mm
1981 x 533mm	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 762mm	1981 x 915mm
1981 x 838mm	2040 x 626mm
<b>Metric 40mm</b>	2040 x 726mm
2040 x 626mm	2040 x 826mm
2040 x 726mm	2040 x 926mm
2040 x 826mm	



Solid Oak 'V' Groove Detail



Also Available in:



White Page 36



Walnut Page 31

#### ISEO Quarter Cut Veneer

Central 4 Light Glazed

Core: 35 / 40mm Solid

Glass: 35 / 40mm Clear Bevelled  
FD30 glazing option see

##### Standard 35mm

FD30 44mm	
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	

##### Metric 40mm

2040 x 726mm
2040 x 826mm



Also Available in:



White Page 36



Walnut Page 31

#### ISEO Quarter Cut Veneer

Offset 4 Light Glazed

Core: 35mm Solid

Glass: 35mm Clear Bevelled  
FD30 glazing option see

##### Standard 35mm

FD30 44mm	
1981 x 762mm	1981 x 762mm



Solid Oak 'V' Groove Detail



FD30 Glazing options: Clear or obscure

### Additional Door Accessories, Frames and Services



Door Linings & Mouldings  
Page 68 - 71



Door Furniture Options  
Page 72 - 81



Bespoke Sizes  
Page 67



Door Kits  
Page 86



Rebate Service  
Page 87

## Oak Prefinished Range

## Oak Prefinished Range

## Modern V Groove Doors



## ISEO Crown Cut Veneer

Core: 35mm Semi Solid

Standard 35mm	FD30 44mm
1981 x 457mm	1981 x 610mm
1981 x 533mm	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 711mm	
1981 x 762mm	
1981 x 838mm	
2032 x 813mm	

Also Available in:  
White Page 36 Walnut Page 31

## ISEO Crown Cut Veneer

Central 4 light Glazed

Core: 35mm Semi Solid  
Glass: 35mm Clear Bevelled  
FD30 glazing option see 

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	

Also Available in:  
White Page 36 Walnut Page 31

## Corsica

Core: 35mm Semi Solid

Standard 35mm	FD30 44mm
1981 x 457mm	1981 x 610mm
1981 x 533mm	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 762mm	2032 x 813mm
1981 x 838mm	
2032 x 813mm	

Also Available in:  
White Page 41 Grey Page 26-29

## Corsica

1 Light Glazed

Core: 35mm Semi Solid  
Glass: 35mm Clear Flat  
FD30 glazing option see 

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	

Also Available in:  
White Page 41 Grey Page 26-29

## Capri

Core: 35mm Semi Solid

Standard 35mm	FD30 44mm
1981 x 533mm	1981 x 610mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	

Also Available in:  
White Page 37

## Capri

3 light Glazed

Core: 35mm Semi Solid  
Glass: 35mm Clear Flat  
FD30 glazing option see 

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	

Also Available in:  
White Page 37

## Oak Corsica

18G Central Glazed

Core: Particleboard Core  
FD30 glazing option see FD30 44mm   
Glazed to orderAlso Available in:  
White Page 41 Grey Page 26-29

## Corsica

18G Offset Glazed Pair

Core: Particleboard Core  
FD30 glazing option see FD30 44mm   
Glazed to order

Supplied grooved &amp; fitted with intumescent strip to meeting stiles

Pairs made from stock doors and will vary

Also Available in:  
White Page 41 Grey Page 26-29

FD30 Glazing options: Clear or obscure

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67Door Kits  
Page 86Rebate Service  
Page 87

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67Door Kits  
Page 86Rebate Service  
Page 87

## Oak Prefinished Range

### Modern Ash Inlay and Walnut Inlay Doors



#### Mirage

Core: 35mm Semi Solid

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 610mm
1981 x 686mm	1981 x 686mm
1981 x 762mm	1981 x 762mm
1981 x 838mm	1981 x 838mm



Ash Inlay Detail



#### Mirage

3 Light Glazed

Core: 35mm Semi Solid  
Glass: 35mm Clear Flat

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 610mm
1981 x 686mm	1981 x 686mm
1981 x 762mm	1981 x 762mm
1981 x 838mm	1981 x 838mm



Ash Inlay Detail



#### Madrid

3 Panel

Core: 40mm Solid

Standard 40mm	FD30 44mm
1981 x 686mm	1981 x 686mm
1981 x 762mm	1981 x 762mm
1981 x 838mm	1981 x 838mm



Raised Mould Detail



#### Madrid

3 Light Glazed

Core: 40mm Solid  
Glass: 40mm Clear Bevelled

Standard 40mm
1981 x 762mm



Raised Mould Detail



#### Vision

Core: 35mm Solid

Standard 35mm	FD30 44mm
1981 x 457mm	1981 x 686mm
1981 x 533mm	1981 x 762mm
1981 x 610mm	1981 x 838mm
1981 x 686mm	
1981 x 762mm	
1981 x 838mm	



Walnut Inlay Detail



#### Vision

4 Light Glazed

Core: 35mm Solid  
Glass: 35mm Clear Flat  
FD30 glazing option see

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 762mm	
1981 x 838mm	



Walnut Inlay Detail



#### Veneer Flush

Core: 35mm Solid

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 610mm
1981 x 686mm	1981 x 686mm
1981 x 762mm	1981 x 762mm
1981 x 838mm	1981 x 838mm



#### Mexicano


Core: Solid Routed Board

Standard 35mm	FD30 44mm
1981 x 457mm	1981 x 610mm
1981 x 533mm	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 711mm	2040 x 726mm
1981 x 762mm	2040 x 826mm
1981 x 838mm	2040 x 926mm
2032 x 813mm	



Groove Detail

Also Available in:



Oak Un-finished Page 17



White Page 35/40

FD30 Glazing options: Clear or obscure

### Additional Door Accessories, Frames and Services

Door Linings & Mouldings Page 68 - 71

Door Furniture Options Page 72 - 81

Bespoke Sizes Page 67

Door Kits Page 86

Rebate Service Page 87

FD30 Glazing options: Clear or obscure

### Additional Door Accessories, Frames and Services

Door Linings & Mouldings Page 68 - 71

Door Furniture Options Page 72 - 81

Bespoke Sizes Page 67

Door Kits Page 86

Rebate Service Page 87

## Oak Prefinished Range

## Traditional Single / Pair Doors




## Heath

Core: 40mm Solid

Standard 40mm	FD30 44mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	



Raised and Fielded Panel



## Hampstead

6 Light Glazed

Core: 40mm Solid  
Glass: Clear Bevelled

Standard 40mm
1981 x 686mm
1981 x 762mm
1981 x 838mm



Raised and Fielded Panel



## Hampstead

Rebated Pair

Core: 40mm Solid  
Glass: Clear Bevelled  
Rebate: Right hand push open

Standard 40mm
1981 x 915mm
1981 x 1067mm
1981 x 1168mm
1981 x 1220mm
1981 x 1372mm
1981 x 1524mm



## Chiswick

Rebated Pair

Core: 40mm Solid  
Glass: Clear Bevelled  
Rebate: Right hand push open

Standard 40mm
1981 x 915mm
1981 x 1067mm
1981 x 1168mm
1981 x 1220mm
1981 x 1372mm
1981 x 1524mm



Raised and Fielded Panel



## Chiswick

1 Light Glazed

Core: 40mm Solid  
Glass: Clear Bevelled

Standard 40mm
1981 x 686mm
1981 x 762mm
1981 x 838mm



Raised and Fielded Panel

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67Door Kits  
Page 86Rebate Service  
Page 87

## Oak Unfinished Range

### Oak Unfinished Range

Our oak unfinished range will give any home a traditional or contemporary look whilst allowing you full control of the finished result, whether it's lacquer finished to enhance the natural timber grain or decorated in a painted colour of your choice. Designs ranging from contemporary flat panel shaker style, traditional flat panel with an attractive ovolo bead, raised moulded with raised & fielded panels or for a more rustic feel we have our framed, ledged & braced and ledged & braced doors. We offer FD30 rated fire-doors and glazed options in many of our unfinished oak doors design.

*N.B Please refer to care & installation guide and treatment of doors on pages 106 - 107 for additional information*



## Oak Unfinished Range

### Recessed Doors

#### Mexicano


Core: Solid Routed Board



Standard 35mm	FD30 44mm
1981 x 457mm	1981 x 610mm
1981 x 533mm	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 711mm	1981 x 915mm
1981 x 762mm	2040 x 626mm
1981 x 838mm	2040 x 726mm
2032 x 813mm	2040 x 826mm
	2040 x 926mm
Standard 40mm	
2040 x 626mm	
2040 x 726mm	
2040 x 826mm	
2040 x 926mm	



Also Available in:



Oak Pre-finished Page 13



White Page 35/40

#### Mexicano

4 Light Glazed

Core: Solid Routed Board  
Glass: Clear Bevelled



Standard 35mm

1981 x 686mm
1981 x 762mm
1981 x 838mm
2032 x 813mm



Groove Detail

### Additional Door Accessories, Frames and Services



Door Linings & Mouldings  
Page 68 - 71



Door Furniture Options  
Page 72 - 81



Bespoke Sizes  
Page 67



Door Kits  
Page 86



Rebate Service  
Page 87

## Oak Unfinished Range

## Oak Unfinished Range

## Recessed Doors



## Cottage

Core: Solid Individual Boards

Standard 35mm	FD30 44mm
1981 x 457mm	1981 x 762mm
1981 x 610mm	1981 x 838mm
1981 x 686mm	
1981 x 762mm	
1981 x 838mm	



## Pattern 10

Glazed

Core: 35mm Solid

Glass: Clear Flat

FD30 glazing option see

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 610mm
1981 x 686mm	1981 x 686mm
1981 x 762mm	1981 x 762mm
1981 x 838mm	1981 x 838mm



## 6 Panel

Core: 35mm Solid

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	



## 10 Light

Glazed

Core: 35mm Solid

Glass: Clear Bevelled

Standard 35mm
1981 x 610mm
1981 x 686mm
1981 x 762mm
1981 x 838mm



## 4 Panel

Core: 35mm Solid

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	



## Oxford

2 Light Glazed

Core: 35mm Solid

Glass: Clear Bevelled

Standard 35mm
1981 x 762mm



FD30 Glazing options: Clear or obscure

## Additional Door Accessories, Frames and Services

Door Linings &amp; Mouldings Page 68 - 71

Door Furniture Options Page 72 - 81

Bespoke Sizes Page 67

Door Kits Page 86

Rebate Service Page 87

## Additional Door Accessories, Frames and Services

Door Linings &amp; Mouldings Page 68 - 71

Door Furniture Options Page 72 - 81

Bespoke Sizes Page 67

Door Kits Page 86

Rebate Service Page 87

## Oak Unfinished Range

## Flat Panel Shaker Style Doors

**Bristol**

4 Panel

Core: 35mm Solid



**Standard 35mm** FD30 44mm

1981 x 457mm\* 1981 x 686mm  
 1981 x 533mm\* 1981 x 762mm  
 1981 x 610mm 1981 x 838mm  
 1981 x 686mm  
 1981 x 762mm  
 1981 x 838mm



Also Available in:

White Page 38

**Bristol**

2 Panel 2 Light Glazed

Core: 35mm Solid

Glass: 35mm Clear Flat

FD30 glazing option see



**Standard 35mm** FD30 44mm

1981 x 686mm 1981 x 686mm\*  
 1981 x 762mm 1981 x 762mm\*  
 1981 x 838mm 1981 x 838mm\*



Also Available in:

White Page 38

**Contemporary**

4 Panel

Core: 35mm Solid

**Standard 35mm** FD30 44mm

1981 x 686mm 1981 x 762mm  
 1981 x 762mm 1981 x 838mm  
 1981 x 838mm



Also Available in:

White Page 37

**Contemporary**

4 Light Glazed

Core: 35mm Solid  
Glass: Clear Flat

**Standard 35mm**  
 1981 x 686mm  
 1981 x 762mm



Also Available in:

White Page 37

**Marlborough**

2 Panel

Core: 35mm Solid



**Standard 35mm** FD30 44mm

1981 x 457mm 1981 x 686mm  
 1981 x 533mm 1981 x 762mm  
 1981 x 610mm 1981 x 838mm  
 1981 x 686mm  
 1981 x 762mm  
 1981 x 838mm



Also Available in:

White Page 38

**Marlborough**

1 Panel 1 Light Glazed

Core: 35mm Solid  
Glass: Clear Flat

**Standard 35mm**  
 1981 x 762mm



Flat Panel Detail

FD30 Glazing options: Clear or obscure

\* Special Order— Lead-time 3-5 weeks.  
 Call 01225 811411 for the price and current availability.

## Additional Door Accessories, Frames and Services

 Door Linings & Mouldings  
 Page 68 - 71

 Door Furniture Options  
 Page 72 - 81

 Bespoke Sizes  
 Page 67

 Door Kits  
 Page 86

 Rebate Service  
 Page 87

## Additional Door Accessories, Frames and Services

 Door Linings & Mouldings  
 Page 68 - 71

 Door Furniture Options  
 Page 72 - 81

 Bespoke Sizes  
 Page 67

 Door Kits  
 Page 86

 Rebate Service  
 Page 87

## Oak Unfinished Range

## Oak Unfinished Range

## Flat Panel with Recessed Bead Doors



## Salisbury

Core: 35mm Solid

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 711mm	1981 x 838mm
1981 x 762mm	2032 x 813mm
1981 x 838mm	



Flat Panel With Profiled Beading



## Salisbury

3 Light Glazed

Core: 35mm Solid  
Glass: Clear Flat

Standard 35mm
1981 x 762mm



Flat Panel With Profiled Beading



## 1930

4 Panel

Core: 35mm Solid

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 711mm	1981 x 838mm
1981 x 762mm	2032 x 813mm
1981 x 838mm	
2032 x 813mm	



Flat Panel With Bead Profile



## 1930

3 Panel 1 Light Unglazed

Core: 35mm Solid  
Glass: 35mm glazing option see 

Standard 35mm
1981 x 762mm



Flat Panel With Bead Profile



## Ledged &amp; Braced

Core: Solid Engineered  
Brace: Fixed

Standard 40mm
1981 x 610mm
1981 x 686mm
1981 x 762mm
1981 x 838mm



Back View



## Framed Ledged &amp; Braced

Core: Solid Engineered  
Brace: Fixed

Standard 40mm
1981 x 610mm
1981 x 686mm
1981 x 762mm
1981 x 838mm



Back View

35mm Glazing options: Unglazed or glass of your choice

## Additional Door Accessories, Frames and Services

 Door Linings & Mouldings  
Page 68 - 71

 Door Furniture Options  
Page 72 - 81

 Bespoke Sizes  
Page 67

 Door Kits  
Page 86

 Rebate Service  
Page 87

## Additional Door Accessories, Frames and Services

 Door Linings & Mouldings  
Page 68 - 71

 Door Furniture Options  
Page 72 - 81

 Bespoke Sizes  
Page 67

 Door Kits  
Page 86

 Rebate Service  
Page 87

## Oak Unfinished Range

## Oak Unfinished Range

## Traditional Raised Moulded Doors



**Iris**  
2 Panel

**Core:** 35mm Solid

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	



Raised Mould Bead



**Iris**  
6 Light Glazed

**Core:** 35mm Solid  
**Glass:** 35mm Clear Bevelled  
FD30 glazing option see

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	



Bead Detail




**8 light**  
Glazed

**Core:** 35mm Solid  
**Glass:** Clear Bevelled

Standard 35mm
1981 x 762mm



Raised Mould Bead




**4 Panel**

**Core:** 35mm Solid

Standard 35mm	FD30 44mm
1981 x 533mm*	1981 x 686mm
1981 x 686mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	

\*2 Panel



Raised Mould Bead




**Oxford**  
2 Light Glazed

**Core:** 35mm Solid  
**Glass:** 35mm Clear Bevelled  
FD30 glazing option see

Standard 35mm	FD30 44mm
1981 x 686mm	1981 x 686mm
1981 x 762mm	1981 x 762mm
1981 x 838mm	



Raised Mould Bead



FD30 Glazing options: Clear or obscure

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71

Door Furniture Options  
Page 72 - 81

Bespoke Sizes  
Page 67

Door Kits  
Page 86

Rebate Service  
Page 87

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71

Door Furniture Options  
Page 72 - 81

Bespoke Sizes  
Page 67

Door Kits  
Page 86

Rebate Service  
Page 87

## Grey Prefinished Range



## Grey Prefinished Range

Our grey prefabricated range of doors are the latest addition to the Mendes portfolio. They have become very popular with modern living and commercial spaces. The grey Corsica has an attractive feature 'V' groove, are manufactured with a real veneer that is impregnated with colour prior to being fully finished. We also offer an FD30 rated fire-door and glazed options to suit.

*N.B Please refer to care & installation guide and treatment of doors on pages 106 - 107 for additional information*

## Grey Prefinished Range

### Modern V Groove Doors

#### Light Grey Corsica

Core: 35mm Semi Solid



Also Available in:



Oak Page 11



White Page 41

#### Light Grey Corsica

18G Central Glazed


Core: Particleboard Core  
FD30 glazing options available, see



Also Available in:



Oak Page 11



White Page 41

#### FD30 44mm


Glazed to order



Also Available in:




Oak Page 11




White Page 41



Also Available in:



Oak Page 11



White Page 41

#### Light Grey Corsica

18G Offset Glazed Pair


Core: Particleboard Core  
Glass: FD30 glazing options available, see




Pairs made from stock doors and will vary



Also Available in:



Oak Page 11



White Page 41



FD30 Glazing options: Clear or obscure

### Additional Door Accessories, Frames and Services



Door Linings & Mouldings  
Page 68 - 71



Door Furniture Options  
Page 72 - 81



Bespoke Sizes  
Page 67



Door Kits  
Page 86



Rebate Service  
Page 87

## Grey Laminate Range



## Laminate Grey Corsica

1 Light Glazed

Core: 35mm Semi Solid

Glass: 35mm Clear Flat

FD30 glazing option see

Standard 35mm FD30 44mm

1981 x 610mm 1981 x 610mm

1981 x 686mm 1981 x 686mm

1981 x 762mm 1981 x 762mm

1981 x 838mm 1981 x 838mm



Feature Groove Detail



## Laminate Grey Corsica

Core: 35mm Semi Solid

Standard 35mm FD30 44mm

1981 x 610mm 1981 x 610mm

1981 x 686mm 1981 x 686mm

1981 x 762mm 1981 x 762mm


1981 x 838mm 1981 x 838mm




Feature Groove Detail

FD30 Glazing options: Clear or obscure

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67Door Kits  
Page 86Rebate Service  
Page 87

## Walnut Prefinished Range



## Walnut Prefinished Range

Our walnut prefinished range will give a stylish, warm and modern look to any home or commercial property without the need of further decoration on site. Designs from solid walnut feature 'V' grooves, aluminium effect inlays, to a simple flush cross directional veneered door. FD30 Fire-doors and glazed options are also available.

N.B Please refer to care & installation guide and treatment of doors on pages 106 - 107 for additional information

## Walnut Prefinished Range

### Modern V Groove Doors

#### ISEO Crown Cut

Core: 35mm Semi Solid

Standard 35mm	FD30 44mm
1981 x 457mm	1981 x 610mm
1981 x 533mm	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 762mm	
1981 x 838mm	



Also Available in:



White Page 36/40



Oak Prefinished Page 9-10



Walnut V Groove Detail



#### ISEO Crown Cut

Central 4 light Glazed


Core: 35mm Semi Solid  
Glass: 35mm Clear Bevelled  
FD30 glazing option see

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 762mm	
1981 x 838mm	

Also Available in:



White Page 36/40



Oak Prefinished Page 9-10



Walnut V Groove Detail

FD30 Glazing options: Clear or obscure

### Additional Door Accessories, Frames and Services



Door Linings & Mouldings  
Page 68 - 71




Door Furniture Options  
Page 72 - 81



Bespoke Sizes  
Page 67



Door Kits  
Page 86



Rebate Service  
Page 87

## Walnut Prefinished Range

### Modern Aluminium Inlay Doors



Nova

Core: 44mm Solid

FD30 44mm 🔥  
 1981 x 610mm  
 1981 x 686mm  
 1981 x 762mm  
 1981 x 838mm



Satin Aluminium Effect Inlay



Nova

1 light Glazed

Core: 44mm Solid  
 Glass: Glazing option see 🔍 🔥

FD30 44mm 🔥  
 1981 x 686mm  
 1981 x 762mm  
 1981 x 838mm



Satin Aluminium Effect Inlay



🔍 🔥 FD30 Glazing options: Clear or obscure

### Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67Door Kits  
Page 86Rebate Service  
Page 87

## Walnut Prefinished Range

### Flush Doors



Aspect

Core: 44mm Solid

FD30 44mm 🔥  
 1981 x 610mm  
 1981 x 686mm  
 1981 x 762mm  
 1981 x 838mm



Cross Directional Veneer Detail

### Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67Door Kits  
Page 86Rebate Service  
Page 87

## White Primed Range



## White Primed Range

Our white primed range are available in both contemporary and traditional designs. They are supplied as deluxe primed – these doors only need a topcoat to be fully decorated. Available in our popular feature 'V' groove designs or in a flat panel shaker style. We offer a finishing service available in any painted RAL colour of your choice. FD30 Fire-doors and glazed options are also available.

The Essex door is supplied with 2 coats of factory applied white primer that allows the natural grain within the oak to show through.

*N.B Please refer to care & installation guide and treatment of doors on pages 106 - 107 for additional information*



## White Primed Range

### Recessed Doors

#### Essex (White Primed Oak)

4 Panel

Core: 35mm Solid



#### Standard 35mm

FD30 44mm 1981 x 610mm 1981 x 686mm  
1981 x 686mm 1981 x 762mm  
1981 x 762mm 1981 x 838mm  
1981 x 838mm

### Mexicano

Core: 35mm Semi Solid



Standard 35mm FD30 44mm 1981 x 457mm 1981 x 610mm  
1981 x 533mm 1981 x 686mm  
1981 x 610mm 1981 x 762mm  
1981 x 686mm 1981 x 838mm  
1981 x 762mm 1981 x 838mm



Also Available in:



### Additional Door Accessories, Frames and Services



Door Linings & Mouldings  
Page 68 - 71




Door Furniture Options  
Page 72 - 81



Bespoke Sizes  
Page 67



Door Kits  
Page 86



Rebate Service  
Page 87

## White Primed Range

## White Primed Range

## Modern V Groove Doors

## ISEO

Core: 35 / 40mm Semi Solid

## Standard 35mm FD30 44mm

1981 x 457mm 1981 x 610mm  
1981 x 533mm 1981 x 686mm  
1981 x 610mm 1981 x 711mm  
1981 x 686mm 1981 x 762mm  
1981 x 711mm 1981 x 838mm  
1981 x 762mm 2040 x 626mm  
1981 x 838mm 2040 x 726mm  
Metric 40mm  
2040 x 826mm  
2040 x 926mm



Also Available in:  
Oak Page 9-10 Walnut Page 31

## ISEO

4 light Glazed

Core: 35 / 40mm Semi Solid  
Glass: 35 / 40mm Clear Bevelled  
FD30 glazing option see 

## Standard 35mm FD30 44mm

1981 x 610mm 1981 x 686mm  
1981 x 686mm 1981 x 762mm  
1981 x 762mm 1981 x 838mm  
1981 x 838mm

## Metric 40mm

2040 x 726mm  
2040 x 826mm



Also Available in:  
Oak Page 9-10 Walnut Page 31

## Capri

Core: 35mm Semi Solid

## Standard 35mm FD30 44mm

1981 x 610mm 1981 x 686mm  
1981 x 686mm 1981 x 762mm  
1981 x 762mm 1981 x 838mm  
1981 x 838mm



Also Available in:  
Oak Pre-finished Page 10



## Capri

3 light Glazed

Core: 35mm Semi Solid  
Glass: Clear Flat

## Standard 35mm

1981 x 686mm  
1981 x 762mm  
1981 x 838mm



Also Available in:  
Oak Pre-finished Page 10



## Orta

Core: 35mm Semi Solid

## Standard 35mm FD30 44mm

1981 x 610mm 1981 x 686mm  
1981 x 686mm 1981 x 762mm  
1981 x 762mm 1981 x 838mm  
1981 x 838mm



Feature V Groove Detail

## Orta

1 Light Glazed

Core: 35mm Semi Solid  
Glass: Clear flat with Etched Border

## Standard 35mm

1981 x 762mm  
1981 x 838mm



Feature V Groove Detail

## Contemporary

4 Panel

Core: 35mm Solid

## Standard 35mm FD30 44mm

1981 x 610mm 1981 x 762mm  
1981 x 686mm 1981 x 838mm  
1981 x 762mm 1981 x 838mm  
1981 x 838mm



Also Available in:  
Oak Page 21



## Contemporary

4 Light Glazed

Core: 35mm Solid  
Glass: Clear Flat

## Standard 35mm

1981 x 686mm  
1981 x 762mm  
1981 x 838mm



Flat Panel and V Groove Detail

FD30 Glazing options: Clear or obscure

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71

Door Furniture Options  
Page 72 - 81

Bespoke Sizes  
Page 67

Door Kits  
Page 86

Rebate Service  
Page 87

FD30 Glazing options: Clear or obscure

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71

Door Furniture Options  
Page 72 - 81

Bespoke Sizes  
Page 67

Door Kits  
Page 86

Rebate Service  
Page 87

## White Primed Range

## White Primed Range

## Flat Panel Shaker Style Doors

**Shaker**

2 Panel

**Core:** 35mm Solid

Standard 35mm	FD30 44mm
1981 x 533mm	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 762mm	
1981 x 838mm	

Also Available in:  
Oak Page 21**Shaker**

1 Light Glazed

**Core:** 35mm Solid  
**Glass:** Clear Flat

Standard 35mm
1981 x 686mm
1981 x 762mm
1981 x 838mm

Also Available in:  
Oak Page 18**Mayfair**

3 Panel

**Core:** 35mm Solid


Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 610mm
1981 x 686mm	1981 x 686mm
1981 x 762mm	1981 x 762mm
1981 x 838mm	1981 x 838mm

Raised Moulding  
with Raised &  
Fielded Panel**Shaker**

4 Panel

**Core:** 35mm Solid

Standard 35mm	FD30 44mm
1981 x 533mm*	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 762mm	
1981 x 838mm	

Also Available in:  
Oak Page 20**Shaker**

2 Panel 2 Light Glazed

**Core:** 35mm Solid  
**Glass:** Clear Flat

Standard 35mm
1981 x 762mm
1981 x 838mm

Also Available in:  
Oak Page 20**Mayfair**

2 panel 1 light glazed

**Core:** 35mm Solid  
**Glass:** Clear Bevelled  
44mm Clear Flat  
FD30 glazing option see  

Standard 35mm	FD30 44mm
1981 x 610mm	Glazed to order.
1981 x 686mm	
1981 x 762mm	
1981 x 838mm	

Raised Moulding  
with Raised &  
Fielded Panel

FD30 Glazing options: Clear or obscure

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67Door Kits  
Page 86Rebate Service  
Page 87

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67Door Kits  
Page 86Rebate Service  
Page 87

## White Primed Trade Range


## Trade Range White Primed ISEO

**Core:** 35mm Semi Solid

Standard 35mm	FD30 44mm
1981 x 457mm	1981 x 610mm
1981 x 533mm	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 762mm	
1981 x 838mm	



Also Available in:



## Trade Range White Primed ISEO

**4 Light Glazed****Core:** 35mm Semi Solid  
**Glass:** 44mm  
FD30 glazing option see 

Standard 35mm	FD30 44mm
1981 x 610mm	1981 x 610mm
1981 x 686mm	1981 x 686mm
1981 x 762mm	1981 x 762mm
1981 x 838mm	1981 x 838mm



Also Available in:





## Trade Range White Primed Corsica

**Core:** 35mm Semi Solid

Standard 35mm	FD30 44mm
1981 x 457mm	1981 x 610mm
1981 x 533mm	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 762mm	
1981 x 838mm	
2032 x 813mm	



Also Available in:




Feature V Groove Detail


## Trade Range White Corsica

**1 Light Glazed****Core:** 35mm Semi Solid  
**Glass:** Clear Flat  
FD30 glazing option see 

Standard 35mm	FD30 44mm
1981 x 686mm	1981 x 610mm
1981 x 762mm	1981 x 686mm
1981 x 838mm	1981 x 762mm
2032 x 813mm	1981 x 838mm



Grey Page 27/29




Feature V Groove Detail

## Trade Range Corsica

**18G Central Glazed****Core:** FD30  
**Glass:** 44mm  
FD30 glazing option see 


## FD30 44mm

Sizes: Glazed to order



Feature V Groove Detail

Also Available in:




## Trade Range Corsica


**18G Offset Glazed****Core:** FD30  
**Glass:** 44mm  
FD30 glazing option see 

## FD30 44mm

Sizes: Glazed to order



Feature V Groove Detail




Also Available in:




## FD30 44mm

Sizes: Glazed to order



Supplied grooved &amp; fitted with intumescent strip to meeting stiles



## Trade Range White Primed Mexicano

**Core:** 35mm Semi Solid

Standard 35mm	FD30 44mm
1981 x 457mm	1981 x 610mm
1981 x 533mm	1981 x 686mm
1981 x 610mm	1981 x 762mm
1981 x 686mm	1981 x 838mm
1981 x 762mm	
1981 x 838mm	




Also Available in:



FD30 Glazing options: Clear or obscure


## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67

## Additional Door Accessories, Frames and Services

Door Linings & Mouldings  
Page 68 - 71Door Furniture Options  
Page 72 - 81Bespoke Sizes  
Page 67Door Kits  
Page 86Rebate Service  
Page 87

# Black Industrial Range



## Black Industrial Range

Our Black Industrial range combines narrow, solid timber stiles & rails with a choice of three glazing options and primed with a deluxe black finish to provide sleek, contemporary designs.

These modern designs are perfect for revamping your home and allowing natural light to flow through.

## Black Industrial Range

### Black Industrial Range



#### Naples

5 Light Glazed

**Core:** Solid Timber  
**Glass:** Clear Flat



#### Rome

4 Light Glazed

**Core:** Solid Timber  
**Glass:** Clear Flat



#### Venice

5 Light Glazed

**Core:** Solid Timber  
**Glass:** Clear Flat



#### Standard 35mm

1981 x 610mm

1981 x 686mm

1981 x 762mm

1981 x 838mm



#### Standard 35mm

1981 x 610mm

1981 x 686mm

1981 x 762mm

1981 x 838mm

### Additional Door Accessories, Frames and Services



Door Linings & Mouldings  
Page 68 - 71




Door Furniture Options  
Page 72 - 81



Bespoke Sizes  
Page 67



Door Kits  
Page 86



Rebate Service  
Page 87

## Pine Unfinished Range



## Pine Unfinished Range

Our Pine unfinished range, with flat panels and an attractive bead, will suit any traditional home and give a classic look whether clear lacquered to enhance the natural timber grain or a painted finish, in a colour of your choice.

*N.B Please refer to care & installation guide and treatment of doors on pages 106 - 107 for additional information*

## Pine Unfinished Range

### Flat Panel Doors



#### 1930

4 Panel

**Core:** 35mm Solid

#### Standard 35mm

1981 x 610mm	FD30 44mm
1981 x 686mm	1981 x 686mm
1981 x 711mm	1981 x 762mm
1981 x 762mm	2032 x 813mm
1981 x 838mm	
2032 x 813mm	

#### FD30 44mm

1981 x 610mm
1981 x 686mm
1981 x 711mm
1981 x 762mm



Flat Panel With  
Bead Profile



#### 1930

6 Panel

**Core:** 35mm Solid

#### Standard 35mm

1981 x 610mm
1981 x 686mm
1981 x 711mm
1981 x 762mm



Flat Panel With  
Bead Profile



#### Islington

**Core:** 35mm Solid

#### Standard 35mm

1981 x 610mm	FD30 44mm
1981 x 686mm	1981 x 686mm
1981 x 711mm	1981 x 762mm
1981 x 762mm	1981 x 838mm
1981 x 838mm	2032 x 813mm
2032 x 813mm	

#### FD30 44mm

1981 x 610mm
1981 x 686mm
1981 x 711mm
1981 x 762mm



Flat Panel With  
Bead Profile

### Additional Door Accessories, Frames and Services



Door Linings & Mouldings  
Page 68 - 71



Door Furniture Options  
Page 72 - 81



Bespoke Sizes  
Page 67



Door Kits  
Page 86



Rebate Service  
Page 87

# External Doors

## External Doors

Our external oak and hardwood doors have a high specification engineered construction improving the performance of the finished product. Our doors have solid lippings in either oak or hardwood to compliment the door.


Laminated timber stiles and rails not only offer stability against bowing and twisting but give the look and feel of a solid timber door with the added advantage of being stronger and a more stable product.

It is recommended that any of our external oak or hardwood doors must be protected from exposure to direct sun and rain. This is usually achieved by a porch, recess or overhang of a minimum of 1.5 metres. If this precaution is not observed, the performance and appearance of the door will not be satisfactory.

*N.B Please refer to care & installation guide and treatment of doors on pages 106 - 107 for additional information*



## Oak Door & Sidelight Range



## Oak Door & Sidelight Range

Within our wide range of external oak doors there is sure to be a style suited for every setting. From traditional to contemporary or to something a bit more special for a grand entrance. We offer solid, glazed and unglazed single and pair doors, sidelights to compliment some styles and thermal rated doors for new building regulations. All our external oak doors come unfinished for onsite finishing.

*N.B Please refer to care & installation guide and treatment of doors on pages 106 - 107 for additional information*

## External Doors

### Modern Double Glazed and Solid Doors

#### Monza

**Glass:** Acid



#### Standard 44mm

1981 x 762mm  
1981 x 838mm



#### Oslo

**Glass:** Clear

#### Standard 44mm

1981 x 762mm  
1981 x 838mm  
2032 x 813mm  
2083 x 864mm



#### Modena



#### Standard 44mm

1981 x 762mm  
1981 x 838mm  
2083 x 864mm




### Additional Door Accessories, Frames and Services



Door Furniture Options  
Page 72 - 81



Door Frame & Mouldings  
Page 68 - 71



Rebate Service  
Page 87

## Oak Door & Sidelight Range

### Traditional Triple Glazed Doors


**Thames**

**Glass:** Sealed Unit  
**Caming:** Black

**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
1981 x 915mm  
2032 x 813mm


**Cottage Lead**

**Glass:** Sealed Unit  
**Caming:** Black

**Standard 44mm**  
1981 x 838mm


**Majestic RM1S**

**Glass:** Sealed Unit  
**Caming:** Zinc

**Standard 44mm**  
1981 x 762mm  
1981 x 838mm



Also Available as:  
 Pair Page 55


**Derby Chameleon RM1S**

**Glass:** Sealed Unit  
**Caming:** Black

**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
1981 x 915mm


**Sovereign RM1S**

**Glass:** Sealed Unit  
**Caming:** Zinc

**Standard 44mm**  
1981 x 838mm



RM1S - Raised mould 1 side

### Additional Door Accessories, Frames and Services



Door Furniture Options  
Page 72 - 81



Door Frame & Mouldings  
Page 68 - 71



Rebate Service  
Page 87



## Oak Door & Sidelight Range

### Traditional Unglazed Doors


**Pattern 10 Un-glazed**

**Standard 44mm**  
1981 x 762mm  
1981 x 838mm

Also Available in:  
 Hardwood Page 60

### Additional Door Accessories, Frames and Services



Door Furniture Options  
Page 72 - 81



Door Frame & Mouldings  
Page 68 - 71



Rebate Service  
Page 87

## Oak Door & Sidelight Range

### Modern Double Glazed and Traditional Triple Glazed Sidelights



**Majestic**  
RM1S

Glass: Sealed Unit  
Caming: Zinc

Standard 44mm  
1981 x 457mm




Raised Bead  
Detail



**Derby**  
RM1S

Glass: Sealed Unit  
Caming: Black

Standard 44mm  
1981 x 457mm



Raised Bead  
Detail



**Empress/Sovereign**  
RM1S

Glass: Sealed Unit  
Caming: Zinc

Standard 44mm  
1981 x 457mm



Raised Bead  
Detail



**Contemporary**  
Acid Glazed

Glass: Double Unit

Standard 44mm  
1981 x 457mm



Bead Detail



**Contemporary**  
Clear Glazed

Glass: Double Unit

Standard 44mm  
1981 x 457mm



Bead Detail

RM1S - Raised mould 1 side

### Additional Door Accessories, Frames and Services



Door Furniture Options  
Page 72 - 81



Door Frame & Mouldings  
Page 68 - 71



Rebate Service  
Page 87



### Oak Door & Sidelight Range

### Thermal Rated Doors



**Hillingdon**

U-value: 1.5  
Glass: Argon Gas  
Insulated 'k' Unit

Standard 44mm  
1981 x 838mm

Also Available in:



Hardwood Non-thermal Glazed Page 58



Hardwood Non-thermal Un-glazed Page 59

### Additional Door Accessories, Frames and Services



Door Furniture Options  
Page 72 - 81



Door Frame & Mouldings  
Page 68 - 71



Rebate Service  
Page 87

**Oak Door & Sidelight Range****Grand Entrance and Pair Doors**

**Empress**  
Rebated Pair RM1S

Glass: Triple Glazed Sealed Unit  
Caming: Zinc  
Rebate: RHPO

Standard 44mm  
1981 x 1512mm  
1981 x 1664mm

Solid Oak  
Raised Moulded



Empress Pair with sidelight option  
for sidelights see page 52



Also Available as:  
Single Door Page 50



Also Available in:  
Hardwood Un-glazed Page 63



Bead Detail

**Oak Door & Sidelight Range****Grand Entrance and Pair Doors****Pattern 20**  
Rebated Pair

Glass: Clear Double Unit  
Rebate: RHPO

**Standard 44mm**

1981 x 1220mm  
1981 x 1372mm  
1981 x 1524mm  
1981 x 1676mm



Majestic Pair with sidelight option  
for sidelights see page 52

**Majestic**  
Square Meeting Stile Pair RM1S

Glass: Triple Glazed Sealed Unit  
Caming: Zinc  
Rebate: RHPO / LHPO Also Available

Standard 44mm (SMS)  
1981 x 1524mm  
1981 x 1676mm

Standard 44mm (Rebated)  
1981 x 1512mm  
1981 x 1664mm

Solid Oak  
Raised Moulded

RM1S - Raised mould 1 side  
RHPO - Right Hand Push Open

RM1S - Raised mould 1 side  
RHPO - Right Hand Push Open LHPO - Left Hand Push Open

**Additional door accessories, frames and services**

Door Furniture Options  
Page 72 - 81



Door Frame & Mouldings  
Page 68 - 71



Rebate Service  
Page 87

**Additional Door Accessories, Frames and Services**

Door Furniture Options  
Page 72 - 81



Door Frame & Mouldings  
Page 68 - 71



Rebate Service  
Page 87

**Hardwood** Door Range**Hardwood** Door Range**Traditional** Solid Doors**Colonial**  
4 Panel

**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm  
2135 x 915mm



Raised and  
Fielded Panel  
Detail

**Colonial**  
6 Panel

**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
1981 x 915mm  
2032 x 813mm  
2083 x 864mm  
2135 x 915mm



Raised and  
Fielded Panel  
Detail

**Waterford**

**Standard 44mm**  
1981 x 686mm  
1981 x 762mm  
1981 x 838mm  
1981 x 915mm  
2032 x 813mm




~ Groove Detail

**Additional Door Accessories, Frames and Services**

Door Furniture Options  
Page 72 - 81



Door Frame & Mouldings  
Page 68 - 71



Rebate Service  
Page 87

**Hardwood** Door Range**Hardwood** Door Range**Traditional** Triple Glazed Doors**Hillingdon**  
Lead LightGlass: Sealed Unit  
Caming: Black**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm  
2135 x 915mm

Also Available in:

Oak Thermal Glazed Page 53

Hardwood Unglazed Page 59

**Colonial**  
Top Light LeadGlass: Sealed Unit  
Caming: Black**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm**Edwardian**  
BlueGlass: Sealed Unit  
Caming: Black**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm**Hillingdon****Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm

Also Available in:

Oak Thermal Glazed Page 53

Hardwood Glazed Page 58

**Edwardian****Standard 44mm**  
1981 x 686mm  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm

Also Available in:

**2XG**  
2 Panel**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm  
1981 x 915mm

Raised and Fielded Panel Detail

**Ealing**  
RoseGlass: Sealed Unit  
Caming: Black**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm  
2083 x 864mm  
2135 x 915mm**Edinburgh**  
RM1SGlass: Sealed Unit  
Caming: Black**Standard 44mm**  
1981 x 838mm  
2032 x 813mm**Pattern 664****Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm

Raised and Fielded Panel Detail

**Wellington****Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm

Raised and Fielded Panel Detail

**Falmouth****Standard 44mm**  
1981 x 686mm  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm  
1981 x 915mm

Groove Detail

RM1S - Raised mould 1 side

Unglazed hardwood doors are suitable for a double glazed unit up to 14mm thick

**Additional Door Accessories, Frames and Services** Door Furniture Options  
Page 72 - 81 Door Frame & Mouldings  
Page 68 - 71 Rebate Service  
Page 87**Additional Door Accessories, Frames and Services** Door Furniture Options  
Page 72 - 81 Door Frame & Mouldings  
Page 68 - 71 Rebate Service  
Page 87

**Hardwood** Door Range**Hardwood** Door Range**Traditional** Unglazed Doors**Pattern SC**

**Standard 44mm**  
1981 x 686mm  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm

**Pattern 10**

**Standard 44mm**  
1981 x 610mm  
1981 x 686mm  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm

**Derby RM1S**

**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm  
2083 x 864mm  
2135 x 915mm



Raised Bead Detail

Also Available in:



Oak Page 51

**Stable 1 Light**

**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm

**Stable 9 Light**

**Standard 44mm**  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm

RM1S - Raised mould 1 side

**Additional Door Accessories, Frames and Services**Door Furniture Options  
Page 72 - 81Door Frame & Mouldings  
Page 68 - 71Rebate Service  
Page 87

**Hardwood** Door Range**Hardwood** Door Range**Unglazed** Pair Doors

**Hampstead**  
Rebated Pair

**Rebate:** RHPO

**Standard 44mm**  
1981 x 915mm  
1981 x 1067mm  
1981 x 1168mm  
1981 x 1220mm  
1981 x 1372mm  
1981 x 1524mm

Raised and  
Fielded Panel  
Detail



**Chiswick**  
Rebated Pair

**Rebate:** RHPO

**Standard 44mm**  
1981 x 915mm  
1981 x 1067mm  
1981 x 1168mm  
1981 x 1220mm  
1981 x 1372mm  
1981 x 1524mm

Raised and  
Fielded Panel  
Detail



**Pattern 70**  
Rebated Pair

**Rebate:** RHPO

**Standard 44mm**  
1981 x 915mm  
1981 x 1067mm  
1981 x 1168mm  
1981 x 1220mm  
1981 x 1372mm

Bead Detail



**GTP**  
Rebated Pair

**Rebate:** RHPO

**Standard 44mm**  
1981 x 915mm  
1981 x 1067mm  
1981 x 1168mm  
1981 x 1220mm  
1981 x 1372mm

Bead Detail



**Pattern 20**  
Rebated Pair

**Rebate:** RHPO

**Standard 44mm**  
1981 x 915mm  
1981 x 1067mm  
1981 x 1168mm  
1981 x 1220mm  
1981 x 1372mm  
1981 x 1524mm

Bead Detail

RHPO - Right Hand Push Open

Unglazed hardwood doors are suitable for a double glazed unit up to 14mm thick

**Additional Door Accessories, Frames and Services**

 Door Furniture Options  
Page 72 - 81

 Door Frame & Mouldings  
Page 68 - 71

 Rebate Service  
Page 87

RHPO - Right Hand Push Open

Unglazed hardwood doors are suitable for a double glazed unit up to 14mm thick


**Additional Door Accessories, Frames and Services**

 Door Furniture Options  
Page 72 - 81

 Door Frame & Mouldings  
Page 68 - 71

 Rebate Service  
Page 87

## Softwood Range and Door Blanks



### Softwood Range and Door Blanks

Basic in design and traditional in appearance — but always the first choice for outbuildings or where a more traditional door design is preferred. These competitively priced doors, which are rustic in appearance, make these doors ideal for paint finishing. L&B doors are supplied with loose pinned braces for on-site handling. They are not recommended for internal use or for use as a domestic entrance door. The FL&B doors are also supplied loose pinned for on-site handling.

### Door Blanks

Our external blanks are manufactured using a lightweight solid laminated timber core and faced with a thick paint grade exterior quality plywood which is ideal for paint finishing. FD30 fire rated and lipped on all four edges, (except for size 2440 x 1220mm & 2135 x 915mm) these doors can be considerably reduced in height and width. Apertures can be cut providing the aperture size, glass and bead density are in conjunction with the manufacturer's fire certification (please check the certificate for limitations) making these doors the ideal cheap fix for your basic exterior requirements.

*N.B Please refer to care & installation guide and treatment of doors on pages 106 - 107 for additional information*

## Softwood Range and Door Blank Range

### Softwood Range & Door Blanks

#### L&B Lledged & Braced



#### Standard 44mm

1981 x 610mm  
1981 x 686mm  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm



#### FL&B Framed Ledged & Braced

#### Standard 44mm

1981 x 610mm  
1981 x 686mm  
1981 x 762mm  
1981 x 838mm  
1981 x 915mm  
2032 x 813mm

#### Hardwood Lipping Supplied unfinished



#### 2100m Length 45x8mm



#### Door Blanks

#### FD30 44mm

1981 x 686mm  
1981 x 762mm  
1981 x 838mm  
2032 x 813mm  
2135 x 915mm  
2440 x 1220mm

#### FD60 54mm

2135 x 915mm  
2440 x 1220mm

### Additional Door Accessories, Frames and Services



Door Furniture Options  
Page 72 - 81




Door Frame & Mouldings  
Page 68 - 71



Rebate Service  
Page 87

# Bespoke Door Service



## Bespoke Door Service

Mendes Bespoke is a one-stop service for all your door requirements. With our trusted custom factories in the Far East, Spain and the UK, doors can be created to your design and finished to your exact specification.

With your ideas and our experience, we can create something special for your project.

## Bespoke Door Sizes and Doorsets

### Tailored door services

#### How can we help you?

Have you seen a door from our extensive range you like, but need a different size, finish or material? We can help, simply tell us the details.

If you've found a style you like elsewhere, that you require customizing, we can often source this for you. Unsure of what may suit your decor and need guidance - with our expertise, we will help you visualise the end result.

Please contact us to discuss your door requirements further:

If you would like to speak directly to our sales team, we would be more than happy to help.

Please call: Head Office 01225 811411  
Northern Office 0151 531 1052



Alternatively email us at: [bespoke@pm-mendes.co.uk](mailto:bespoke@pm-mendes.co.uk)

Visit us at our showroom in Corsham, near Bath.

Or download our latest brochure at:

[www.pm-mendes.co.uk](http://www.pm-mendes.co.uk)

## Individually yours...



We can match most RAL colours

A professional, quality, and flexible service from a well established company.

- Huge range of styles and finishes
- Unusual sizes and oversize doors a speciality
- Part M mobility and fire rated options available
- Pre-hung door sets

Combine your choice of Glazing, inlays, grooves and finishes that will ensure you achieve the custom look your project requires.

Optional finishes include:

- Veneers
- Inlays - metallic & timber
- Grooves
- Lacquer - various matt to high gloss sheens
- Glazing
- Ironmongery

A wide range of veneers are available

# Door Frames and Mouldings

## Door Frames and Mouldings

### Internal Door Linings and Mouldings

our internal oak door linings, architrave and skirting are of high quality, constructed with a timber core and over veneered with real oak.

Our door linings are suitable for max door size of 2050x1000x45mm. Our door linings and mouldings come in kit form which is indicated on the opposite page. If a door lining or architrave is required for a double opening 2 kits of each would be required.

### External Frames and Mouldings

Our external oak frames and weather bars are manufactured from solid laminated oak, over veneered with oak. The frame kits therefore combine the visual features of oak with the added strength and stability an engineered product is able to offer. Our frames come in kit form and the lengths supplied in a single frame set can be cut to suit all single doors to a maximum size of 2150x950mm. The frames are reversible to suit both inward and outward opening doors. The frames are supplied unfinished and must be fully treated with a suitable quality external wood finishing product to guarantee performance. A separate mullion is available if fitting doors and sidelights.

Our external hardwood frames and mouldings are of solid laminated timber construction which is designed to give extra stability. The frame sets are supplied un-assembled and unfinished with a reversible sill for both inward and outward opening and a plastic water bar is included in the kit to fit in the groove on the sill. Frames are also grooved to accept a weather strip which can be purchased separately.



## Internal Door Linings and Mouldings



**Oak Modern Profile Door Lining**  
**White Primed Square Profile Door Lining**

Product	Kit Components	Width (mm)	Thickness (mm)
Door Lining with Loose Stops	2 x Jambs (Length 2100mm) 1 x Head (Length 1050mm) Loose door stop (12x45mm)	108mm 133mm 133mm 150mm	22mm 22mm 32mm 22mm
			108mm
			133mm
			133mm
			150mm

Suitable for use with FD30 doors when grooved and fitted with intumescent strip



**Oak Modern Architrave**  
**White Primed Square Architrave**

Product	Kit Components	Height (mm)	Thickness (mm)
Architrave Profile	4 x 2200mm 2 x 1100mm	69mm	18mm





**Oak Modern Skirting**  
**White Primed Square Skirting**

Product	Kit Components	Height (mm)	Thickness (mm)
Skirting Profile	4 x 3000mm	96mm	18mm
		144mm	18mm

## External Door Frames and Mouldings

### External Oak Door Frame Kit, Weather Bar and Mullion



Product	Kit Components
Oak Single Door Frame Kit	2 x Jambs (Frame Length 2150x57x94mm) 1 x Head (Frame Length 1050x57x94mm)
Oak Double Door Frame Kit	2 x Jambs (Frame Length 2100x57x94mm) 1 x Head (Frame Length 2100x57x94mm)
Oak Large 2.8m Door Frame Kit	2 x Jambs (Frame Length 2100x57x94mm) 1 x Head (Frame Length 2800x57x94mm)
Oak Mullion (Double Rebate)	1 x Jamb/Head (2100x94x68mm)
Oak Weather Bar	1 x 915x60x40mm



Configuration	Frame Type	Mullion (required)	Weather Bar (recommended)	Overall Frame Size (H x W)
1 Door	Single Frame Kit	N/A	1	2220 x 1050mm
2 Doors	Double Frame Kit	N/A	2	2170 x 2100 mm
1 Door + 2 Sidelights	Double Frame Kit	2	1	2170 x 2100 mm
2 Doors + 1 Sidelight	Large 2.8m Frame Kit	1	2	2170 x 2800mm
2 Doors + 2 Sidelights	Large 2.8m Frame Kit	2	2	2170 x 2800mm

Product	Suit Door Size	Sidelight Size	Overall Frame Size
Single Door Frames*	1981 x 762 x 44mm 1981 x 838 x 44mm 1981 x 915 x 44mm 2032 x 813 x 44mm 2083 x 864 x 44mm 2135 x 915 x 44mm 1981 x 915 x 44mm 1981 x 1067 x 44mm 1981 x 1168 x 44mm 1981 x 1220 x 44mm 1981 x 1372 x 44mm 1981 x 1524 x 44mm		2061 x 842mm 2061 x 918mm 2061 x 995mm 2112 x 893mm 2163 x 944mm 2215 x 995mm 2061 x 995mm 2061 x 1147mm 2061 x 1248mm 2061 x 1300mm 2061 x 1452mm 2061 x 1604mm
Pair Door Frames*			
Weather Bar	915 x 60 x 40mm		

\*Each external frame kit contains: 2 x jambs, 1 x head, 1 x sill, 1 x plastic water bar



## External Door Frames and Mouldings

### External Hardwood Door Frame Kit and Weather Bar

# Ironmongery



## Ironmongery

Our internal and external ironmongery range has been carefully selected from high quality materials and sourced from the very best in the market. From Traditional to modern styles to compliment and finish the look you wish to achieve.

If you do not see something you are looking for please contact our sales team on  
Corsham office – 01225 811411  
Liverpool office – 0151 5311052

## Ironmongery

### Designer Levers on Round Rose - Mendes Handle Packs



- Step 1** Decide the thickness of the door which requires ironmongery.
- Step 2** Choose one of the 12 different styles of levers displayed on this page.
- Step 3** Decide which type of locks or latches the door requires e.g. Standard Latch, Bath Lock or Sash Lock
- Step 4** Call the sales team on **01225 811411** with your selection for price and availability.



### Mendes Ironmongery Handle Packs

**Standard Latch Pack -** 1 pair of handles (choose from any handle on this page) 3no 75mm (3") satin stainless steel ball bearing butt hinges with screws (non FD30 only) 75mm CE marked tubular latch.

**Bathroom Pack -** 1 pair of handles/lever (choose from any handle/lever on this page) 3no 75mm (3") satin stainless steel ball bearing butt hinges with screws (non FD30 only) 75mm mortice bathroom lock bath turn & release.

**Lock Pack -** 1 pair of handles/lever (choose from any handle/lever on this page), 3no. 75mm (3") satin stainless steel ball bearing butt hinges with screws (non FD30 only), 75mm 3lever sashlocks and escutcheons.

**FD30 Fire door upgrade -** Where FD30 doors are required, the hinges in any of the pack options above can be upgraded to 4" firedoor hinges. Please specify when ordering or enquiring.

## Ironmongery

## Ironmongery

## Scimitar Designer Levers



Scimitar

PCP  
SCP  
BNP



Dune

PCP  
SCP  
PB



Opal

PCP/MNP  
PCP/BNP



Everest

SSS  
PSS



K2

SSS  
PSS



Nevis

SSS  
PSS



Olympus

PCP  
SCP



Roma

PCP



Scorpio

PCP  
SCP



Snowden

SSS  
PSS



Scarfell

SSS  
PSS



Westminster

PCP  
SCP



Topaz

PCP/MNP



Gemini

PCP  
SCP



Si

PCP/MC



Tetra

PCP/MC



Zeta

PCP  
SCP  
PB



Mirage

PCP  
SCP



Lynx

PCP  
SCP  
PB



Quad

PCP/MC



Scimitar

BNP

PCP Polished Chrome Plated  
SCP Satin Chrome Plated

BNP Black Nickel Plated  
PB Polished Brass Finish

PCP/SCP Polished Chrome Plated / Satin Chrome Plated  
MNP Matt Nickel Plated

PCP Polished Chrome Plated  
SCP Satin Chrome Plated  
BNP Black Nickel Plated

MC Matt Chrome  
PCP/SCP Polished Chrome Plated / Satin Chrome Plated

SSS Satin Stainless Steel  
PSS Polished Stainless Steel

## Ironmongery

## Ironmongery

## Designer &amp; Traditional Levers

Scimitar

CP  
SCP  
BNP

Majestic

CP  
SCP

Palace

CP  
SCP  
PB

ER46Q Seattle

SSS PSS  
ORB CB

ER45 Madeira

SSS CB  
ORB

ER14 Iceland



SSS

York

PCP/SCP  
BNZ

Berkeley

PB  
CP  
SCP

Lambeth

PB  
SCP  
CP

ER45Q Madeira

SSS ORB  
CB

ER28Q Rhodos



SSS

R38 Starlight

SSS/SN PC/SSS  
PZ/SSS

ER37 Verona

SSS SSS/PSS  
PSS

ER43 Porto



SSS/PSS

ER34 Rio Steel



SSS SSS/PSS

Stephenson

PC SB SN  
UDB YB MB

ER19 Jersey



SSS

ER21 Manhatten



SSS

Regent

PB  
CP  
SCP

Nebraska

PC SC  
MB

Colorado

PC SC  
SN MB BN

ER22 Elba



SSS

ER25 Malta



SSS

ER27 Crete



SSS

Georgia

PC SN  
MB

Montana

SNPC SC  
SN PC MB

Crompton

PC SB SN  
UDB YB MB

ER29 Cyprus



SSS

ER30 Corsica



SSS

ER36 Atlantis

SSS  
PSS

PCP Polished Chrome Plated

SCP Satin Chrome Plated

CP Chrome Plated

SC Satin Chrome

BN Black Nickel

UDB Urban Dark Bronze

PB Polished Brass Finish

BNP Black Nickel Plated

BNZ Bronze

PC Polished Chrome

SNPC Satin Nickel Polished Chrome

SB Satin Brass

SSS Satin Stainless Steel

PSS Polished Stainless Steel

MB Matt Black

SN Satin Nickel

YB Yester Bronze

SSS Satin Stainless Steel

SN Satin Nickel

SB Satin Brass

MB Matt Black

ORB Oil Rubbed Bronze

PC Polished Chrome

UDB Urban Dark Bronze

CB Cosmos Black

PZ Polished Zirconium

YB Yester Bronze

## Accessories

## Ironmongery

Grade 316 Bell Push SWE1030



Grade 316 Door Knocker SWE1020



Grade 316 Centre Door Knob SWE1040



Sleeved Letter Plate SWE1050




3 Lever Mortice Sashlock (65mm/75mm)



Mortice Bathroom Lock (65mm/75mm)



Tubular Mortice Latch (65mm/75mm)



Bath Lock



Dead Lock



5 Lever Mortice Sashlock (75mm)



13mm Rebate Set



Heavy Duty Adjustable Roller Catch



Double Cylinder



Cylinder &amp; Thumturn



Steel Standard Door Security Chain



Security Door



Size 2-5 Overhead Door Closer



Evershine Door Numerals (75mm)



PULL



PUSH



FPP1301 Pull Finger Plate Various Sizes Available

FPP1302 Push Finger Plate Various Sizes Available



Matt Black Bathroom Lock (35mm)



Polished Chrome Bathroom Lock (35mm)



Matt Black Euro Profile Sashlock (35mm)



Polished Chrome Euro Profile Sashlock (35mm)

## Ironmongery

FPH1000 Rectangular Flush Pull



FPH1001 Radius Flush Pull



FPH1001 Radius Flush Pull

D Pull Handle (PAD/PFD/PBD/PCD)  
Various Sizes AvailableT Pull Handle (PAT/PBT/PCT/PFT)  
Various Sizes AvailableMitred Pull Handle (PAM)  
Various Sizes Available

Floor Mounted Doorstop (oval)



Projecting Doorstop



Oval Floor Stop



Projecting Doorstop

Ball Bearing Butt Hinge  
(75mm/100mm)

Grade 13 Parliament Hinge 102x102mm



Concealed Hinge



Lever Action Flush Bolt 152mm



Bathroom Turn &amp; Release



Thumturn &amp; Emergency Release

Standard Key Escutcheon



Euro Key Escutcheon



Flush Bolt



KPP Kickplate Various Sizes Available



SEX1015 Fire Door Keep Locked



SEX1016 Fire Door Keep Shut



SEX1021 Fire Escape Keep Clear



No smoking

It is against the law to smoke in these premises

SEX1020 No Smoking

SEX1011 Male Symbol Sign



SEX1012 Female Symbol Sign




SEX1017 Disabled Symbol Sign



SEX1018 Unisex Symbol Sign



# Space Saver Door Systems



# Space Saver Door Systems

## Pocket Door Systems


Model	Max Door Height (mm)	Max Door Width (mm)	Min door Thickness (mm)	Max Weight per Leaf (kg)	Track Dimensions W (mm)	H (mm)	Wall Thickness mm
Easy Slide	1981	610	30-40	100	33	34	125
	1981	686	30-40	100	33	34	125
	1981	762	30-40	100	33	34	125
	1981	838	30-40	100	33	34	125
	1981	914	30-40	100	33	34	125
	2040	626	30-40	100	33	34	125
	2040	726	30-40	100	33	34	125
	2040	826	30-40	100	33	34	125
	2040	926	30-40	100	33	34	125
	2040	1026	30-40	100	33	34	125
Hideaway	2040	762	35-44	56	46	33	115-120
	2040	915	35-44	56	46	33	115-120
	2040	1067	35-44	90	46	33	115-120
	2743	1067	35-44	90	46	33	115-120
	2743	1219	35-44	90	46	33	115-120
	2743	1371	35-44	90	46	33	115-120
	2743	1524	35-44	90	46	33	115-120
	2040	626	30-44	120	57	32	100
Inserdor	2040	726	30-44	120	57	32	100
	2040	826	30-44	120	57	32	100
	2040	926	30-44	120	57	32	100
	2040	1026	30-44	120	57	32	100
	2040	1126	30-40	120	57	32	100
	2040	1226	30-40	120	57	32	100
	2040	1126	30-40	120	57	32	100
	2040	1226	30-40	120	53	30	100



## Space Saver Door Systems

## Folding Door Systems

Model	Door Configuration	Max door Height (mm)	Max door Width (mm)	Max door Thickness (mm)	Max Weight per Leaf (kg)	Track Dimensions		Bottom Channel Required
						W (mm)	H (mm)	
30	2 door system*	2500	600	20-40	30	25	27	NO
	3 door system	2500	600	20-40	22	25	27	YES
	4 door system	2500	600	20-40	30	25	27	YES
*No recessed floor channel necessary with 2 door configuration.								
50	2 door system	3000	850	25-50	50	47	48	NO
	3 door system	3000	850	25-50	50	47	48	NO
	4 door system	3000	850	25-50	50	47	48	YES
	5 door system	3000	850	25-50	50	47	48	YES
	6 door system	3000	850	25-50	50	47	48	YES
	7 door system*	3000	850	25-50	50	47	48	YES
	8 door system*	3000	850	25-50	50	48	49	YES
	*Maximum of 6 doors can be hinged together, if using more than a 6 door system additional doors will need to be hinged on opposite jam.							
75	2 door system	3000	900	35-50	75	51	55	NO
	3 door system	3000	900	35-50	75	51	55	YES
	4 door system	3000	900	35-50	75	51	55	YES
	5 door system	3000	900	35-50	75	51	55	YES
	6 door system	3000	900	35-50	75	51	55	YES
100	2 door system	2500	600	20-40	27	28	30	YES
	3 door system	2500	600	20-40	27	28	30	YES
	4 door system	2500	600	20-40	27	28	30	YES



## Space Saver Door Systems

## Folding Door Systems

## Space Saver Door Systems

## Straight Away Sliding Systems

Model	max door Height (mm)	max door width (mm)	Min door Thickness (mm)	Max Weight per Leaf (kg)	Track Dimensions		Internal	External
					W (mm)	H (mm)		
50	2100	-	20	50	27	25	yes	no
100	2500	-	20-50	100	28	30	yes	no
130*	3000	-	20-50	130	38	41	yes	yes
180*	3500	-	35-55	180	48	47	yes	yes
250*	4000	-	35-55	250	51	55	yes	yes
325	6000	-	44-57	600	49	64	no	yes
700	2400	-	30-60	115	25	25	yes	yes
720	3500	-	44	400	48	43	yes	yes

\*Use External versions of system Externally.

## Internal Door Kits

### Internal Door Kits

Our internal door kits are suitable for any of our internal doors. These kits are supplied with a white primed MDF lining, with hinges and machined for a latch, bathroom lock or sash lock. These are supplied as a flat pack system, for easy assembly on site and colours to suit your home.

We can supply these in 35mm, 40mm, 44mm Firedoor, glazed or solid in a full range of sizes – available for single doors and pairs.

Architrave is not supplied as standard, this is available as an optional extra.

#### Door Sizes

610 x 1981  
(with frame = 670 x 2030mm)

686 x 1981  
(with frame = 745 x 2030mm)

762 x 1981  
(with frame = 820 x 2030mm)

838 x 1981  
(with frame = 900 x 2030mm)


#### Frame Depths

100mm

125mm

150mm

Other sizes available on request




#### Internal door finishing

- Save time and site cost with pre-finished doors.
- Lacquering, priming and paint options available – call the sales team for further information.
- Professional high quality spray finish applied.
- Cut outs or trimmed areas will need to be painted after installation to ensure the product is fully sealed.



#### Supply and fit intumescent seals to FD30 rated doors

- Standard intumescent and combined smoke seal available in various widths.
- Saves time, cost and risk of damages on-site.
- Ensures the correct seal is accurately fitted in line with the product fire certification.



#### Rebating 12mm to form a pair

- A cost effective way to accurately machine rebates.
- 12mm rebating available on most standard 35mm and some 44mm FD30 door options.
- FD30 rebating includes the correct intumescent strips to rebated meeting stiles.
- Right or left hand push or pull available – please specify when ordering.
- Remember – adding a 12mm rebate to your pair will reduce the overall width by 12mm.

**PREMDOR®**



#### SpeedSet Plus & Sound Secure Door Sets

- Adjustable door set overcoming the problem of variation within a given wall thickness.
- SpeedSet Plus is a cost effective way of fitting a door and frame.
- Rapid installation: door-sets can be installed in less than 20 minutes.
- Door supplied pre-hung with CE marked latch and hinges as standard.
- Available with Premdor's standard core, semi solid, safe 'n' sound and FD30 fire doors.
- Damage risk is reduced as SpeedSet Plus is fitted later in the building programme.



#### Sound Secure Entrance Doorset

- Specifically developed to meet the complex performance demands of apartment entrance locations.
- Sound Secure FD30 and FD60 door sets meet the requirements of all current legislation and more.
- Secured By Design as standard.
- FD30 version is supplied with a paint grade softwood frame or fully finished white Winkhouse Ecoframe.
- FD60 version available on veneer styles only. Supplied in a paint grade hardwood frame.
- Several Premdor door options available for this competitively priced door set.



#### Pre-hung and fully certified Door sets

- Pre-hung door sets are available in choice of veneers, laminates and fire ratings with matching architrave.
- Doors can be supplied with a wide range of standard or bespoke glazed or unglazed vision panels.
- Available with sound reducing door core specification up to 42 dB (non-fire).
- Secured By Design approved options available.
- Many widths and heights available including non standard.
- Various lock options available.
- Attractive apartment entrance door sets can also be compliant with mobility regulations.



#### Rebating 12mm to form a pair

- This range of screens can be offered from our standard design or bespoke to your requirements.
- Produced to either match or contrast your doors or door sets depending on your design intent.
- Sidelights, fanlights or borrowed lights are all available in conjunction with standard door set lead-times.
- Screens can be supplied in varying timbers although glazing certification will prevail should fire ratings be requested.
- Available finishes include paint grade, veneered or moulded skin.

## Additional Door Servicing Options

### Additional Door Servicing Options

# Timber Casement Windows



## Windows

As all properties are different, we offer two ranges of timber casement windows with a wide variety of design and performance features to suit your needs.

All of these casements are made-to-measure, meticulously crafted, and easily exceed the latest British and European safety and performance standards. Whether you are looking for traditional styling, exceptional weather resistance, high thermal efficiency, or enhanced security, we know we can supply just the right casements for your home and your lifestyle.

These casement windows are available as Flush or Stormproof casements and can be either internally or externally beaded.



## Performance Timber Windows and Doors

### Flush Casements

These popular Timber Flush casements have a classic beauty and simplicity that enhances modern homes whilst also complementing older traditional and heritage properties.

Made-to-measure from sustainably sourced softwood timber, the flush design has a hand crafted, sleek look with decorative internal mouldings, internal or external beading, and a choice of glazing bars and traditional hardware.

Immensely practical and versatile, these outward opening casements can be side hung or top hung and offer a choice of hinges for multi-compartment frames and three operating modes, including fully reversible opening to allow for easy cleaning.




### Storm Casements

Timber Storm casement windows are extremely strong and stylish, providing outstanding levels of energy efficiency, acoustic performance, and security credentials.

Designed to withstand the harshest weather conditions, they are made from durable, sustainably sourced timber from Scandinavia, featuring high-performance glazing as standard. Available in both top hung and side hung configurations, they combine practicality with a high level of craftsmanship that can be customised with either internal or external beading, decorative internal mouldings on the sash, frame, and glazing bars for a touch of elegance.



# Timber Entrance Doors



## Doors

These timber entrance doors combine traditional beauty and elegance with the stability and reliability of solid engineered wood.

As attractive entrance doors can make such an amazing difference to the character and kerb appeal of a home, we offer a wide variety of styles and panel configurations to suit every taste.

These range from traditional two, four and six panelled options, through to more contemporary looking one panel designs – all made to measure and available in a wide range of popular colours.

These timber entrance doors are made from strong knot-free engineered wood, factory finished with a protective coating system, so you can rely on their strength and durability, which will give long lasting security and protection to your home.

For additional reassurance, they are tested to both PAS24 and “Secured By Design” standards.



# Performance Timber Windows and Doors

## Timber Composite Entrance Doors

Manufactured using state of the art CNC equipment, these composite doors are made from a timber frame and a single leaf, reinforced with layers of engineered timber, insulated with polystyrene rigid foam, and reinforced with aluminium to give excellent stability and energy efficiency.

With their enhanced strength and durability, these immensely practical doors will help give your home long lasting protection - meeting both PAS24 and “Secured by Design” standards.

Designed with beauty and craftsmanship this composite range is made-to-measure with a wide range of styles, glazing options, and colours to suit your home.

As attractive entrance doors can make such an amazing difference to the character and kerb appeal of a home, we offer a wide variety of styles and panel configurations to suit every taste.

These range from traditional two, three and six panelled options, through to more contemporary looking one panel designs - all made to measure and available in a wide range of popular colours.

These timber entrance doors are made from strong knot-free engineered wood, factory finished with a protective coating system, so you can rely on their strength and durability, which will give long lasting security and protection to your home.

For additional reassurance, they are tested to both PAS24 and “Secured By Design” standards.

There is a wide range of standard designs with fully bespoke/customisable options:

- Solid Timber throughout the range
- Single or double leaf configurations available
- Open in or out options

### Technical Benefits

- Broad and flexible core range, with bespoke possibilities.
- Low U values resulting in thermal performance benefits.
- PAS24 compliance as standard.
- Timber composite leaf, solid timber frame.
- Ironmongery style and layout options.



## Premdor Internal Range



## Premdor Internal Range

### Portfolio Pre-finished Doors

<b>Charcoal Grey</b> Horizontal	<b>Light Grey</b> Horizontal	<b>Light Grey</b> 2 Stile	<b>Oak</b> Vertical	<b>Oak</b> 2 Stile
35/40mm SC 44mm FD30 54mm FD60				

<b>Walnut</b> Vertical	<b>Durador</b>
35/40mm SC 44mm FD30 54mm FD60	35mm HC 44mm FD30 54mm FD60

#### Option Factory Supplied

- Factory machining for hinges and/or latches
- Supply and fit standard interior latches or lock
- Supply and fit intumescence seals to fire doors
- Glazing styles available see page 109 - 110

SC - Solid Core      FD30 - 30min Fire Rated      FD60 - 60min Fire Rated

#### Door Information

- PEFC – applies to SC and FD30
- FSC - applies to FD60
- Veneered match technology



## Premdor Internal Range

### Flush Veneer Pre-finished Doors



**American White**  
Oak Veneer

35/40mm HC  
35mm SC  
44mm FD30  
54mm FD60



**Koto**  
Veneer

35/40mm HC  
44mm FD30  
54mm FD60



**American Black**  
Walnut Veneer

35/40mm HC  
44mm FD30  
54mm FD60



**Anegre**  
Veneer

35/40mm HC  
44mm FD30  
54mm FD60



**European Ash**  
Veneer

35/40mm HC  
44mm FD30  
54mm FD60



**Sapele**  
Veneer

35/40mm HC  
44mm FD30  
54mm FD60



**Steamed Beech**  
Veneer

35/40mm HC  
44mm FD30  
54mm FD60



Image supplied courtesy of Premdor



**Innova Oak**  
Veneer

35/40mm SC  
44mm FD30



White Oak inlaid with Bubinga



Image supplied courtesy of Premdor

### Premdor Internal Range

### Innova Pre-finished Doors



## Premdor Internal Range

## Premium Moulded Doors



**Premium Ladder**  
Moulded

35/40mm HC/SS/SNS  
44mm FD30  
54mm FD60

**Premium Ladder**  
4 Light Clear Glazed

35/40mm HC

**Premium Ladder**  
3 Light Clear Glazed

35/40mm HC

**Premium**  
1 Panel Clear Glazed

35/40mm HC

**Premium**  
1 Panel Moulded

35/40mm HC/SS/SNS  
44mm FD30  
54mm FD60

**Premium**  
Horizontal 4 Line  
Offset Clear Glazed

35/40mm HC

**Premium**  
1 Panel 4 Light Clear  
Glazed

35/40mm HC  
44mm FD30

**Premium**  
Horizontal 4 Line  
Clear Glazed

35mm HC

**Premium**  
1 Panel White / Chrome  
Leaded

35/40mm HC

**Premium**  
Horizontal 4 Line  
Narrow Clear Glazed

35mm HC

**Premium**  
Horizontal 4 Line

35/40mm HC/SS/SNS  
44mm FD30  
54mm FD60

**Premium**  
Vertical 5 Panel  
Moulded

35/40mm HC/SS/SNS  
44mm FD30  
54mm FD60

**Premium**  
Horizontal 4 Line  
4 Light Clear Glazed

35/40mm HC  
44mm FD30

**Premium**  
Vertical 5 Panel 1 Light  
Clear Etched Glazed

35/40mm HC



## Option Factory Supplied

- Factory priming (face only)
- Supply and fit intumescent seals to fire doors

## Door Information

- PEFC – applies to SS/SNS/FD30
- FSC - applies to HC/FD60



PEFC  
www.pefc.co.uk

## Premdor Internal Range

## White Moulded Doors



**2 Panel**  
Smooth  
35/40mm HC/SS/SNS  
44mm FD30  
54mm FD60



**2 Panel**  
Arch Top Textured  
35/40mm HC/SS/SNS  
44mm FD30  
54mm FD60



**4 Panel**  
Textured / Smooth  
35/40mm HC/SS/SNS  
44mm FD30  
54mm FD60



**5 Panel**  
Bi-Fold Textured  
35mm HC



**4 Panel**  
Bi-Fold Textured  
35mm HC



**5 Panel**  
Smooth  
35/40mm HC  
44mm FD30  
54mm FD60



**5 Panel**  
Smooth 3/4 Light Glazed  
35/40mm HC



**5 Panel**  
Smooth 5 Light Clear  
Glazed  
35/40mm HC



**6 Panel**  
Textured / Smooth  
35/40mm HC/SS/SNS  
44mm FD30  
54mm FD60



**6 Panel**  
Bi-Fold Textured /  
Smooth  
35mm HC

#### Option Factory Supplied

- Factory priming (face only)
- White factory paint finishing (textured door face only)
- Supply and fit intumescent seals to fire doors

HC - Hollow Core

SS - Semi Solid Core

SNS - Safe 'N' Sound

FD30 - 30min Fire Rated

FD60 - 60min Fire Rated

#### Door Information

- PEFC – applies to SS, SNS and FD30
- FSC - applies to HC and FD60



FSC  
www.fsc.org  
FSC® C118036



PEFC  
www.pefc.co.uk  
PEFC® C118037

The mark of  
responsible forestry

## Premdor Internal Range

## Manhattan Doors



**Manhattan**  
6 Light Clear Glazed

35/40mm HC



**Manhattan**  
10 Light Clear Glazed



## Door information

- Factory priming (face only)
- White factory paint finishing (textured door face only)
- Single pane glazing with paper wrapped MDF or timber glazing cassette (at our option)

- Textured or Smooth moulded panel facings
- Clear toughened glass
- FD30 Options available on half and 6 light glaze door



HC - Hollow Core FD30 - 30min Fire Rated

Mendes Quality Door Distribution



101



Image supplied courtesy of Premdor

## Option Factory Supplied

- Supply and fit intumescent seals to fire doors
- Glazing styles available see page 109 - 110

HC - Hollow Core EC - Extra Core D30 - 30min Fire Rated FD60 - 60min Fire Rated

## Premdor Internal Range

## Flush Paint Grade Plus &amp; Popular



**Paint Grade Plus**

35/40mm HC  
35mm EC  
44mm FD30  
54mm FD60



**Lipped Paint Grade Plus**

35/40mm HC  
44mm FD30



**Popular**  
Paint Grade

35/40mm HC  
35mm EC  
44mm FD30  
54mm FD60



**Un-lipped Popular**  
Paint Grade

35/40mm HC  
44mm FD30

## Door Information

- PEFC – applies to HC, EC and FD30

www.pm-mendes.co.uk

101

## Premdor Internal Range

### Fire Door Glazed Options



Design 1G



Design 3G



Design 7G



Design 8G



Design 10G



Design 22G



Design 23G



Design 24G



Design 25G



Design 26G



Design 16G



Design 18G



Design 19G



Design 20G



Design 21G



Design 27G



Design 28G



Design 29G



Design 50R

### Option Factory Supplied

- Supply and fit intumescent seals to fire doors
- Available in clear or sandblasted obscure glass



### Option Factory Supplied

- Supply and fit intumescent seals to fire doors
- Available in clear or sandblasted obscure glass



By sourcing PEFC,  
PM Mendes is  
supporting sustainably  
managed forests  
globally  
[www.pefc.co.uk](http://www.pefc.co.uk)

# Environmental Pledge



## Environmental Pledge

### FSC® and PEFC Certified chain of custody timber door supplier

PM-Mendes has successfully gained certification by the Forest Stewardship Council® (FSC®) and the Program for the Endorsement of Forest Certification (PEFC). This certification provides assurances that all the timber sourced for the manufacturing process of our forever growing range of FSC® and PEFC certified products, is from sustainable, legal and traceable sources. We currently hold FSC® and PEFC certified products in stock and as the demand for FSC® and PEFC certified products increase, so too will our stock holding. We are continuously working towards increasing and introducing new certified product ranges. Chain of Custody (CoC) certification is the process by which certified material can be traced from the forest to the consumer. It provides proof that the product being sold is linked to legally managed and certified products. This unbroken chain offers transparent proof that materials have been responsibly sourced. We have also taken the necessary steps to ensure we comply with the European Timber Regulation (EUTR) which means that all timber based products used in the manufacturing process of our products is legally sourced.

### Environmental Pledge

PM-Mendes has invested in facilities to segregate and re-cycle our waste and endeavour to purchase so called green options wherever possible. Our customers can be assured that any product purchased from us has made minimal contribution to the problem of global warming.



The mark of  
responsible forestry



By sourcing PEFC,  
PM Mendes is  
supporting sustainably  
managed forests  
globally  
www.pefc.co.uk

# General Information

## Care & Installation Guide

TIMBER IS A NATURAL MATERIAL AND SOME VARIATION IN THE COLOUR, GRAIN AND TEXTURE CAN OCCUR. IT IS THEREFORE OF UTMOST IMPORTANCE THAT QUESTIONS ARE RAISED PRIOR TO COMMENCEMENT OF ANY WORK OR MODIFICATIONS TO ANY TIMBER PRODUCT - NOT AFTER THE PRODUCT HAS BEEN INSTALLED. REMEMBER, ANY WORK CARRIED OUT ON YOUR PRODUCT CONSTITUTES ACCEPTANCE AND RETURNS WILL NOT BE ACCEPTED.

### Preparing your timber product for Installation

Uneven expansion or contraction of component parts within a timber product is the most common reason for it to 'fail' or not perform satisfactorily. These movements are caused by a change in moisture level within the product and to protect against this, the timber must be fully sealed before installation as detailed in the finishing sections below. In addition please be aware of the following:

1. If a door needs to be trimmed it must be reduced equally from both sides. Each side of a door may be trimmed up to a maximum of 6mm for doors with a lipping 10mm or more, and 3mm for doors with a 6mm lipping. Further reductions may be possible on non fire-rated doors but please remember that this may result in exposing the engineered core which will then need to be sealed or re-lipped.

Taking more than we recommend off will invalidate the guarantee.

2. Avoid cutting / fitting locks or latches at a rail or glazing bar joint as this will cause weakening of the door.

3. We recommend the use of 3 hinges to offer more rigidity and strength.

4. FD30 fire rated doors must be installed in accordance with the relevant fire certificate – it is the responsibility of the person fitting the door to ensure that the intumescent strips or seals are fitted in door, frame or lining as stipulated.

### Finishing & Sealing

1. Untreated products must be fully sealed prior to hanging – this applies to all surfaces including tops, bottoms and all recesses cut for hinges, locks, handles and letter plates etc. Waxes and oils such as Yacht varnish, Osmo Oil and Danish Oil are not considered suitable for sealing our timber products and if used will invalidate any guarantee should the timber product subsequently fail.

2. Please do not use a water based sealant as if applied too liberally it may penetrate the veneer and may cause bubbling to occur.

3. Pre finished products must be re-sealed as above in areas where timber has been exposed during alterations. White primed products should be sealed with a final top coat with particular attention paid to any areas where the priming has been removed.

4. To obtain the best finish lightly sand, de-nib and wipe clean all surfaces before initial sealing and before final coat is applied.

5. It is recommended that, when using a finishing system, the same manufacturer/brand is used for all coats. Mixing products can lead to reactions and won't fully seal the door/frame. Doing so will invalidate the guarantee.

### External Products - Additional Information

Our engineered external timber products must be protected from direct sun and rain. This is achieved by a porch, canopy or recess of ideally 1.5 metres. If this precaution is not observed the performance of the timber product will not be satisfactory and any guarantee will be surrendered.

Please note that we also cannot guarantee timber doors (both internal & external) if fitted in a location where there is a lot of heat/sunlight i.e. a glass porch. These types of locations create a greenhouse effect and puts timber doors under extreme pressure. This can cause shrinking and/or cracking.

In addition to finishing and sealing as above please be aware of the following.

1. We recommend a minimum of 3 coats of a suitable finishing product be applied to fully seal a door or frame.
2. We recommend the fitting (externally) of a weather bar at the bottom of the door.
3. Try to avoid painting any external timber product black (or very dark) as dark colours absorb heat making the product very hot which can lead to cracking or excessive shrinkage.
4. With external oak timber products please ensure that the sealant contains a UV protection element.

**WARNING** - If what you are applying is clear it will probably not contain UV protection.

Check with your finishing supplier before purchasing. Our external engineered doors are not suitable in coastal locations

### Future Maintenance

With external timber products it is impossible to advise how long the applied finish will offer protection. Much depends on the finishing product used, the facing of the timber (N, S, E or W), and how forcefully a door is opened and closed. The general rule is to ensure the product remains sealed, preventing moisture movement. If lacquer becomes cracked, scuffed or scratched, re-seal the offending part of the timber product immediately. If shrinkage lines appear around panels re-seal exposed timber immediately. Sealant around external glazing apertures can become brittle and crack if subjected to periods of high temperature; if this becomes evident re-seal with suitable clear waterproof mastic for external use. Finally, we recommend that you wash the timber product with warm water and detergent at minimum every two years, and apply a further coat of finish.

### Storage & Handling

1. Store flat on 3 cross bearers longer than width of door, or on the pallet on which they were supplied, in a dry well-ventilated area.
2. Do not store in following locations: - next to a working radiator, in a room where "wet" trades are present, in direct sunlight.
3. Lifting door from stack – do not drag as this will cause face damage. It is recommended to use a second person when moving a door.

1. All our timber products must be correctly treated without delay and prior fitting. It is most important that all timber products are completely and fully treated before fitting, including all faces, edges and any 'cut outs' such as letter boxes, locks etc. It is vital that the 'end' grain is completely protected as this is where moisture can most easily penetrate causing swelling, splitting and warping.

2. If the door requires trimming to fit, it should be reduced in size equally from both sides when fitting. Mortice locks fitted at rail joints can result in removal of one or more dowels or cause serious damage to a mortice, so weakening the joint. Mortice lock cavity should be kept to a minimum size and not fitted at a rail joint.

3. Usually 3 coats of a proprietary branded finish should be satisfactory but you should treat the door in accordance with instruction of the manufacturer of your chosen finish. Please note that waxing and/or

oiling do not properly seal and are not recommended. It is also not recommended to use a waterbased system on our timber products.

4. As timber is a naturally grown product subject to change due to variations of humidity and temperature, we try to ensure that the timber has been prepared to make it suitable. It is obvious that we cannot know all the circumstances surrounding every situation in which our products are stored and installed, and we therefore cannot give any guarantee against shrinkage, warping or splitting.

5. All external timber products but particularly oak, must be protected from exposure to direct sun and rain. This is usually achieved by a porch, recess or overhang of a minimum of 1.5 metres. If this precaution is not observed, the performance and appearance of the door will not be satisfactory. Our external engineered doors are not suitable for coastal locations.

6. Regular maintenance of our timber products should be observed to prevent breakdown of paint film and to protect the fibre from deterioration. Please remember—the 'finishing' seals the timber and prevents moisture movement, the main cause of swelling and shrinkage resulting in splitting and bowing. If the 'finish' is not complete, or breaks down due to poor maintenance, the timber product performance will deteriorate.

### Height & Width

### Size Conversion Chart

Single Door Sizes	Metric (mm)	Imperial (feet & inches)	Imperial (inches)
1981 x 457	6'6" x 1'6"	78" x 18"	
1981 x 533	6'6" x 1'9"	78" x 21"	
1981 x 610	6'6" x 2'0"	78" x 24"	
1981 x 686	6'6" x 2'3"	78" x 27"	
1981 x 711	6'6" x 2'4"	78" x 28"	
1981 x 762	6'6" x 2'6"	78" x 30"	
2032 x 813	6'8" x 2'8"	80" x 32"	
1981 x 838	6'6" x 2'9"	78" x 33"	
2084 x 864	6'10" x 2'10"	82" x 34"	
1981 x 915	6'6" x 3'0"	78" x 36"	
2040 x 526	6'8 <sup>1</sup> / <sub>4</sub> x 1'8 <sup>11</sup> / <sub>16</sub> "	80 <sup>1</sup> / <sub>4</sub> x 20 <sup>11</sup> / <sub>16</sub> "	
2040 x 626	6'8 <sup>1</sup> / <sub>4</sub> x 2'0 <sup>5</sup> / <sub>8</sub> "	80 <sup>1</sup> / <sub>4</sub> x 24 <sup>5</sup> / <sub>8</sub> "	
2040 x 726	6'8 <sup>1</sup> / <sub>4</sub> x 2'4 <sup>5</sup> / <sub>8</sub> "	80 <sup>1</sup> / <sub>4</sub> x 28 <sup>5</sup> / <sub>8</sub> "	
2040 x 826	6'8 <sup>1</sup> / <sub>4</sub> x 2'8 <sup>1</sup> / <sub>2</sub> "	80 <sup>1</sup> / <sub>4</sub> x 32 <sup>5</sup> / <sub>8</sub> "	
2040 x 926	6'8 <sup>1</sup> / <sub>4</sub> x 3'0 <sup>7</sup> / <sub>16</sub> "	80 <sup>1</sup> / <sub>4</sub> x 36 <sup>7</sup> / <sub>16</sub> "	
2135 x 915	7'0" x 3'0"	84" x 36"	
2440 x 1220	8'0" x 4'0"	96" x 48"	
1981 x 1067	6'6" x 3'6"	78" x 42"	
1981 x 1168	6'6" x 3'10"	78" x 46"	
1981 x 1220	6'6" x 4'0"	78" x 48"	
1981 x 1372	6'6" x 4'6"	78" x 54"	
1981 x 1524	6'6" x 5'0"	78" x 60"	
1981 x 1676	6'6" x 6'0"	78" x 66"	

### Pair Door Sizes

## General Information

### Glossary Definition of Terms

**Architrave:** A decorative moulding that surrounds the door and covers the gap between the frame and the wall.

**Aperture:** An opening that is cut out of a door and fitted with glass.

**Beading:** The timber moulding which is used to fix glass into an aperture or used as a decorative finish that surrounds a panel of a solid door.

**Bespoke:** Doors that have been specially made to suit individual requirements. Customers can request special designs and sizes to match specific needs.

**Bi-Fold:** Doors which fold in half when opened and are fitted onto a track system. This type of product is particularly suitable for smaller spaces or if fitted as a pair, can be used as a room divider.

**Core Construction:** Are the materials of the internal 'make up' of a door.

**Door Pairs:** This is two doors which are fitted directly alongside each other in a double sized opening. Pairs can be rebated by 12mm to allow the doors to interlock when closed.

**FD30:** Products which have been tested and certified to withstand a passage of fire for more than 30 minutes.

**FD60:** Products which have been tested and certified to withstand a passage of fire for more than 60 minutes.

**Finish:** Refers to the final coat of paint or lacquer which is used to decorate a product. Doors can be supplied un-finished for on-site decoration or a specific paint/lacquer can be requested to suit individual requirements.

**Flat Panel:** The panel on a door which is completely flat and not raised or profiled.

**Frame:** The timber that covers an opening in the wall that the door is then fitted to. They are also often referred to as linings or casings.

**FSC®:** The Forest Stewardship Council is a globally recognised independent organisation that promotes forest management. FSC® Certified products offer reassurance to customers that the timbers used in the construction of the doors is from a sustainable, legal and traceable source.

**Handle Packs:** These are ironmongery sets which contain everything you need to fit your door, including handles, hinges and latch/lock mechanism.

**Handing:** This term is used when discussing pairs of doors. It refers to which door leaf will open or close first i.e. RHPO normally means 'right hand push open' and LHPO is used for 'left hand push open'.

**Inlay:** A decorative strip of veneer which is normally different in colour to the face veneer. The Inlay is a design feature which is flush with the face veneer and normally in the form of vertical or horizontal lines.

**Insert:** Like an inlay, but this is normally a material which can be inserted into a groove after a door has been fully finished. Inserts are not always flush with the face veneer.

**Light:** This refers to a single pane of glass within a door e.g. a '4-light' door has 4 panes of glass (or 1 pane with a glazing bead cassette giving the door a 4-light 'look').

**Linings/Casings:** Otherwise known as an internal door frame.

**Lippings:** These are the door edges and if they are thick enough, they can be trimmed to enable your door to fit a specific sized opening, without exposing the inner core of the door (FD30 rated doors have limitations – please check the fire certification). Lippings are also often rebated to allow a pair of doors to overlap at their meeting point.

**Mullion:** This is a double rebated jamb (frame upright/leg) which is required when fitting an external door with a sidelight.

**Pair Maker:** A timber moulding fitted to a door edge to create a door pair (instead of a rebate).

**Pocket Door System:** A sliding door system that is built into a wall cavity to allow the door to disappear completely once opened. A popular, modern door solution that is ideal for properties with limited space.

**Pre-Finished:** Doors that are supplied which have already had a paint or lacquer finish applied.

**Primed:** Doors that have been prepared with an undercoat ready for a top coat finish.

**Rebating:** This allows the doors to close together as a pair; - by machining a groove (rebate) into the long edges of two doors which creates an overlap where the doors meet.

**Safety Glass:** Glass that has been manufactured so that; - if it breaks, it will 'shatter' and will not leave long dangerous sharp shards.

**Semi-Solid Core:** The internal core of the door is part solid and part cellular components.

**Sidelight:** A panel/door which is usually fixed in position alongside a standard hinged door. A sidelight is normally used to fill a gap and allow more light to enter the room.

**Solid Core:** The Internal core of the door is manufactured using solid timber or particleboard.

**Standard Core:** The internal core of the door has cellular components. This makes the door lighter in weight than the solid or semi-solid core doors and are suitable for domestic use.

**Stile:** This refers to the side of the door. Specific terms are hanging stile (Hinge side), leading stile (Side which opens into a room) and meeting stile (Door pairs – rebated meeting stiles).

**Unfinished:** Doors that have no paint, undercoat or lacquer applied and are bare wood ready for preparation, undercoat and a top coat.

**Veneer:** A thin piece of timber used as a decorative material on the visible face of the door (i.e. Oak, Ash, Walnut etc.).

#### General

All orders must be confirmed in writing by the customer either by fax, post or email. Our sales contract is between the persons or customer detailed on the sales order acknowledgement and not with third party persons or customers. We shall not be held responsible for any incidental work or expenses arising out of or because of any defect in our products, or for bad workmanship. In the event of goods proving defective (manufacture defect) which need replacement, our liability shall not exceed the price paid for the defective piece(s).

#### Pricing

Prices quoted in our pricelist, or any other literature issued by us, are subject to alteration without notice. Unless otherwise agreed in a letter, email or facsimile by us, goods will be invoiced at prices applicable at the date of despatch. All prices are subject to VAT and this will be charged at the standard rate applying at date of despatch.

#### Lead -Time

Delivery lead-times quoted or advised are an estimate and should only be used as a guide. Carpenters or Joiners should not be booked until the products have arrived on-site or to the intended delivery address. We shall not be held responsible for any expenses arising due to failed deliveries within the estimated time frame. Items not normally stocked by us will be regarded as 'specials' or 'to order', which are not returnable and non-refundable. We will use our best endeavours to affect any alterations required subsequent to placing of order, but reserve the right to invoice for full payment of the original specification. Any deposit paid with order is only refundable at our discretion.

#### Cancellations

Any products that have been manufactured or non stock items which have arrived at the time of cancellation will be charged at the full quoted price at our discretion. Where the Company accepts orders for 'special' or 'to order' products the Company will endeavour to fulfil your requirements, but if it proves uneconomical or impractical to supply your complete order, the Company reserves the right to cancel the Contract or the remaining products outstanding. The Customer is therefore only liable to pay for the delivered products.

#### Delivery

All goods shall be unloaded promptly at the delivery point. Any costs arising as a result of delay to transport or for goods damaged whilst unloading will be for the account of the Purchaser. No claims for damaged or defective goods will be met unless reported at least provisionally within three working days from the date of receipt, and reported in detail within seven working days. Edge or corner damage and shortages should be noted on the Despatch Note at time of receipt. Pallets and packaging are used to protect your order from damage. This packaging forms part of your order and is not to be returned on the delivery vehicle unless prior agreement has been arranged. Returning of empty pallets or packaging on the delivering vehicle may result in charges made to the original purchaser.

#### Returns

Returns and refunds may be accepted at the discretion of the company. Returns due to a customer order error or cancellation will be subject to our standard restocking/handling charge of 30% of the purchase price, and products must be returned in a perfect resaleable condition. If customers are unable to arrange the return of unwanted products, a collection charge will be applicable. 'Specials' and standard non stocked items will not be accepted for return. Credits will be issued after a full inspection has been carried out on the return of the product. Any returned products which are not in the original packaging and in a perfect resaleable condition will not be credited or returned to the customer.

#### Payments

Payment is required in full in accordance with the terms agreed at the time of opening a credit account, or with the terms stated on our Order Acknowledgement. No variation to these terms will be permitted unless specifically acknowledged in writing by us. We reserve the right to charge interest on any overdue invoices. Interest will be charged at the rate of 8% per annum over the prevailing Base Rate of HSBC Bank plc. Title of goods under these Terms & Conditions will not pass to the Purchaser until all outstanding amounts have been settled and payment has been received in full by us or by such persons as may be designated by us at the time of invoicing. Should the Purchaser sell the goods in such a way as to pass valid title to a third party, the Purchaser shall hold the proceeds of such a sale in trust for us. Notwithstanding that title to the goods shall not pass except as provided above, the goods shall be at risk of the Purchaser from the time of their collection or on delivery to an agreed destination.

#### Disclaimer

Whilst every effort has been made to replicate the colour of our products in this catalogue, due to printing processes, product colour cannot be matched 100%.

## General Information

### Terms & Conditions of Sale



## PM-Mendes Head Office

30 Leafield Way  
Leafield Industrial Estate  
Corsham, Wiltshire, SN13 9SW

Telephone: 01225 811411  
Email: [doorsales@pm-mendes.co.uk](mailto:doorsales@pm-mendes.co.uk)

## Northern Office

Maghull Business Centre  
1 Liverpool Road North  
Maghull, L31 2HB

Telephone: 0151 531 1052  
Email: [northern@pm-mendes.co.uk](mailto:northern@pm-mendes.co.uk)

